PTO/SB/05 (12/97) (modified)

w. U

Approved for use through 09/30/00. OMB 0651-0032
Patent and Trademark Office: U.S DEPARTMENT OF COMMERCE

_ = 3	
⋜	UTILITY
3	PATENT APPLICATION
S 3	TRANSMITTAL

1,2

ŀ ij

Ħ

FI.

(Only for new nonprovisional applications under 37 CFR 1.53(b))

Attorney Docket No. GEOC.P0003D1 First Named Inventor: Shimomura, et al. Title: A Broadband Data Broadcasting Service W.

Express Mail Label No. EL552915793US

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

Express Mail Label No.: EL552915793US

+

Date of Deposit: February 28, 2000

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. § 1.10 on the date indicated above and is addressed to: Assistant Compressioner for Patents, Washington, D.C. 20231.

Ting Dag Johansen Assistant Commissioner for Patents APPLICATION ELEMENTS ADDRESS TO: **Box Patent Application** See MPEP chapter 600 concerning utility patent application contents. Washington, DC 20231 Fee Transmittal Form Microfiche Computer Program (Appendix) (Submit an original, and a duplicate for fee processing) Specification -- Total Pages 45 Nucleotide and/or Amino Acid Sequence Submission 2. 🗶 Including: (if applicable, all necessary) - Title page Computer Readable Copy - Background of the Invention b. Paper Copy (identical to computer copy) - Brief Summary of the Invention c. Statement verifying identity of above copies - Brief Description of the Drawings - Detailed Description **ACCOMPANYING APPLICATION PARTS** - Claim(s) - Abstract of the Disclosure Assignment Papers (cover sheet & document(s)) Power of Attorney 37 CFR 3.73(b) Statement Drawing(s) (35 USC 113) -- Total Sheets 13 --(when there is an assignee) English Translation Document (if applicable) Information Disclosure 4. 🗷 Copies of IDS Oath or Declaration) -- Total Pages 16 --Statement (IDS)/PTO-1449 Citations Newly executed (original or copy) 12.* 🔀 Preliminary Amendment X Return Receipt Postcard (MPEP 503) Copy from a prior application (37 CFR 1.63(d) (for continuation/divisional with Box 17 completed) (Should be specifically itemized) [Note Box 5 below] Statement filed in prior application, Small Entity LI DELETION OF INVENTOR(S) Statement(s) Status still proper and desired Signed statement attached deleting inventor(s) named in the prior application, see 37 CFR 1.63(d)(2) and 1.33(b) Certified Copy of Priority 5. 🗶 Document(s) (if foreign priority is Incorporation By Reference (useable if Box 4b is checked) claimed) The entire disclosure of the prior application, from which a copy of the oath or declaration is supplied under Box 4b, is considered as being part of the disclosure of the accompanying application and is hereby incorporated by reference therein. 17. If a CONTINUING APPLICATION, check appropriate box and supply the requisite information: *☐ Continuation Divisional Continuation-in-part (CIP) of prior application No: 09/293,594 18. CORRESPONDENCE ADDRESS Dag Johansen, Esq. GEOCAST NETWORK SYSTEMS, INC. 190 Independence Drive Menlo Park, California 94025 Telephone: (650) 566.3214

	Facsimile: (650) 811	2		
Name	Dag Johansen	Registratio Number:	n	36,172
Signature	Way ///	_	Date:	February 28, 2000

BSTZ File No.: 00167.P003	Attu/Secty Initials: Day 1
Date Mailed: 7/6/99	
	Patent & Trademark Office on the date stamped hereon:
Amendment/Response (pgs.)	☐ Express Mail No.:
Appeal Brief (pgs.) (in triplicate)	Month(s) Extension of Time Amt: 40.1
Application - Utility (pgs., with cover and abstract)	Information Disclosure Statement & PTO 1449 (_ pgs.) Check No
Application - Rule 1.53(b) Continuation (pgs.)	Issue Fee Transmittal Amt:
Application - Rule 1.53(b) Divisional (pgs.)	☐ Notice of Appeal
Application - Rule 1.53(b) CIP (pgs.)	Petition for Extension of Time
Application - Rule 1.53(d) CPA Transmittal (pgs.)	Petition for
Application - Design (pgs.)	Postcard
Application - PCT (pgs.)	Power of Attorney (pgs.)
Application - Provisional (pgs.)	Preliminary Amendment (pgs.)
Assignment and Cover Sheet Assignment	Reply Brief (pgs.)
☐ Certificate of Mailing	Response to Notice of Missing Parts
Declaration & POA (pgs.)	Small Entity Declaration for Indep. Inventor/Small Business
Disclosure Dors & Orig & Copy of Inventor's Signed Letter (pgs)	☐ Transmittal Letter, in duplicate
Drawings:# of sheets includes figures	Fee Transmittal, in duplicate
Other:	

The last three current was the control of the contr

CERTIFICATE OF MAILING BY "EXPRESS MAIL"

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on February 28, 2000 with Express Mail label number

EL552915793US and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington,

D.C. 20231.

Dag Jokansen

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the application of:

Shimomura, et al.

Serial No.: <not yet assigned>

Filing Date: February 28, 2000

For: A Broadband Data Broadcasting

Service

Examiner: <not yet assigned>

Group Art Unit: <not yet assigned>

PRELIMINARY AMENDMENT

Assistant Commissioner for Patents Washington, D.C. 20231

Dear Sir:

The Applicants received a restriction requirement dated January 1, 2000 for the parent application. In a response to the restriction requirement, the Applicants elected claim Group I. The above-identified divisional patent application has been filed to obtain protection for some of the nonelected claims. This preliminary amendment for a divisional application also includes additional claims to further protect the disclosed inventions. Please amend the divisional patent applications as follows.

IN THE TITLE:

Please change the title of the application from "A Broadband Data Broadcasting Service" to --Methods of Operating A Data Broadcast Service--.

IN THE SPECIFICATION:

On page 2, line 2, please insert the following paragraph --

PRIOR APPLICATIONS:

This patent application is a continuation of the patent application entitled "A Broadband Data Broadcasting Service" filed on 4/16/99 having serial number 09/293,594. --

On page 14, line 14, please replace "557" with --257-- in order to have the specification conform to the drawing.

On page 15, line 13, please replace "receive" with --receiver--.

On page 22, line 1, please replace "Data Broadcast Receiver/Server Hardware" with -- Data Broadcast Receiver/Server Software-- in order to have the section title conform to the section text.

IN THE CLAIMS:

Please amend the claims as follows:

DHJ -- 2 -- GEOC.P0003D1

Please delete claims 1 to 11

1	12. (Amended) A method of generating revenue, said method
2	comprising:
3	distributing a plurality of data broadcast receiver systems, said data broadcast
4	receiver systems comprising
5	receiver circuitry for demodulating and decoding an encoded digital
6	information signal,
7	a cache for storing multimedia information from said encoded digital
8	information signal, and
9	interface circuitry for coupling a receiver system to a client system to
10	output said multimedia information to said client system;
11	receiving a broadcast and retention fee from an entity desiring to distribute
12	designated digital information; [and]
13	broadcasting said designated digital information to said plurality of data broadcast
14	receiver systems; and
15	caching said designated digital information in said cache on said data broadcast
16	receiver systems such that client systems coupled to said data broadcast
17	receiver systems may retrieve said designated digital information.

1 13. The method of claim 12 wherein said entity pays a fee related to an amount of time that said designated digital information will be cached in said broadcast receiver systems.

DHJ -- 3 -- GEOC.P0003D1

1	14.	The method of claim 12 wherein said entity pays a fee related to an
2	amount of said design	nated digital information.

Please delete claims 15 to 21.

Please add the following claims

- 1 22. (Added) The method of claim 12 wherein said entity pays a fee 2 related to an amount of time that said designated digital information will be cached in 3 said broadcast receiver systems.
- 1 23. (Added) The method of claim 12 wherein said designated digital 2 information comprises a catalog.
- 1 24. (Added) The method of claim 23 wherein a user may browse said 2 catalog.

DHJ -- 4 -- GEOC.Р0003D1

- 25. (Added) The method of claim 23 wherein a user may elect to purchase an item from said catalog using said client system.
- 1 26. (Added) The method of claim 25 wherein information about said 2 item from said catalog to be purchased is transmitted across an Internet connection.
- 1 27. (Added) The method of claim 25 wherein information about said 2 item from said catalog to be purchased is transmitted across a wireless connection.
- 1 28. (Added) The method of claim 25 wherein said wireless connection 2 comprises the Short Message Service.
- 29. (Added) The method of generating revenue as claimed in claim 12
 wherein said method further comprises:
 streaming real-time information received on said data broadcast receiver system
- 4 to said client system.
- 1 30. (Added) The method of claim 12 wherein said client system comprises a personal computer system.

DHJ -- 5 -- GEOC.P0003D1

1

2

said broadcast receiver systems.

1	31. (Added) A method of generating revenue, said method comprising:
2	distributing a plurality of data broadcast receiver systems, said data broadcast
3	receiver systems comprising
4	receiver circuitry for demodulating and decoding an encoded digital
5	information signal,
6	a cache for storing multimedia information recovered from said encoded
7	digital information signal; and
8	receiving a broadcast and retention fee from an entity desiring to distribute
9	designated digital information;
10	broadcasting said designated digital information to said plurality of data broadcast
11	receiver systems; and
12	caching said designated digital information in said cache on said data broadcast
13	receiver systems.
1	32. (Added) The method of claim 31 wherein said entity pays a fee
2	related to an amount of time that said designated digital information will be cached in

33. (Added) The method of claim 31 wherein said entity pays a fee related to an amount of said designated digital information.

DHJ -- 6 -- GEOC.Р0003D1

1	34. (Added) The method of claim 31 wherein said fee related is to an
2	amount of time that said designated digital information will be cached in said broadcast
3	receiver systems.
1	35. (Added) The method of claim 31 wherein said designated digital
2	information comprises a catalog.
_	2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.2.
1	36. (Added) The method of generating revenue as claimed in claim 12
2	wherein said data broadcast receiver system further comprises:
3	interface circuitry for coupling a receiver system to a client system to
4	output said multimedia information to said client system.
•	Cutp we care in the care in th
1	37. (Added) The method of claim 36 wherein said client system
2	comprises a personal computer system.
1	38. (Added) A method of generating revenue, said method comprising:
2	distributing a plurality of data broadcast receiver systems, said data broadcast

DHJ --- 7 -- GEOC.P0003D1

receiver systems comprising

4	receiver circuitry for demodulating and decoding an encoded digital
5	information signal,
6	a cache for storing multimedia information recovered from said encoded
7	digital information signal; and
8	receiving an advertising fee from an entity desiring to distribute designated digital
9	advertisments;
10	broadcasting said designated digital information to said plurality of data broadcast
11	receiver systems; and
12	displaying said advertisements on a display system used by a user of said data
13	broadcast receiver systems.
1	39. (Added) The method of generating revenue as claimed in claim 38
2	wherein said data broadcast receiver system further comprises:
3	interface circuitry for coupling a receiver system to a client system to
4	output said multimedia information to said client system.
1	40. (Added) The method of claim 39 wherein said client system
2	comprises a personal computer system and said display system comprises a personal
3	computer display associated with said personal computer system.

DHJ -- 8 -- GEOC.Р0003D1

1	41. (Added) The method of generating revenue as claimed in claim 38
2	further comprising:
3	encrypting a subset of said encoded digital information signal;
4	decrypting said subset of said encoded digital information signal only within data
5	broadcast receiver systems own by a user that has paid a designated
6	subscription fee.

1 42. (Added) The method of claim 41 wherein said decrypting is 2 performed using a tamper-proof decryption system.

DHJ -- 9 -- GEOC.P0003D1

REMARKS

The Applicants respectfully request that the Examiner enter the above preliminary amendment before considering the divisional patent application. The amendments and additions to the claims have been made to better protect the disclosed invention.

Dated: February 28, 2000

Respectfully submitted,

By: _

Dag Jokansen/ Registration No. 36,172

Geocast Network Systems, Inc.

190 Independence Drive Menlo Park, California 94025

Telephone: (650) 566-3214 Facsimile: (650) 566-8112

APPLICATION FOR UNITED STATES LETTERS PATENT

FOR

A Broadband Data Broadcasting Service

Inventors: Tsutomu Shimomura

Steve Waltman Mark Peting Castor Fu Dag Johansen Geoff Mulligan

Prepared by:

Dag Johansen 100 Independence Drive Menlo Park, CA 94025

"Express Mail" mailing label number <u>EL164803498US</u>
Date of Deposit 4/16/99
I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail
Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the
Commissioner of Patents and Trademarks, Washington, D.C. 20231.
Grace R. Cruz
(Typed of printed name of person mailing paper or fee)

(Signature of person mailing papers or fee)

A Broadband Data Broadcasting Service

RELATED APPLICATIONS

This patent application is related to a patent application entitled "Method and Apparatus for Broadcasting Data With Access Control" having Serial Number ______, filed concurrently with this application.

FIELD OF THE INVENTION

10

The present invention relates to the field of digital communications. In particular the present invention discloses a broadband digital broadcast system for broadcasting digital information to a very large number of subscribers.

15

20

25

BACKGROUND OF THE INVENTION

The Internet has become a major source of news and information for very large numbers of people. In particular, millions of Internet users browse the World Wide Web (WWW) to obtain HyperText Markup Language (HTML) documents using the HyperText Transport Protocol (HTTP). Many people now receive more news and information from the Internet WWW sites than from traditional information sources such as television. The WWW portion of the Internet is an excellent medium for news and information since the WWW Internet sites can provide information to users on-demand. Specifically, Internet

20

users can immediately request the exact information they are interested in when ever they wish from WWW Internet sites.

However, the Internet WWW system news information does suffer from a number of deficiencies. One serious problem is that the limited bandwidth of most Internet connections severely limits the amount of information delivered. Most Internet users access the Internet through a dial-up modem at speeds of 56kps per second or less. With such limited bandwidth, most Internet based WWW sites only deliver text and static images. When video information delivered through 56K Internet connections the video information is compressed so heavily such that only small low-resolution video images are delivered at a low frame rate.

To improve upon the performance of the Internet, many telecommunication providers are now offering high-bandwidth connections for the "last mile" to an Internet user's residence. Cable television providers are now offering cable modem Internet service that use cable television wiring to deliver broadband Internet service. Similarly, telephone companies are rolling out Digital Subscriber Line (DSL) services that provide broadband Internet service. Although these broadband data connections provide additional bandwidth, such broadband connections only address the "last mile" bandwidth problem associated with sending rich multi-media information across the Internet. Many other problems will continue to exist.

10

15

20

One problem of delivering rich multi-media information across the Internet is that there are no standard quality-of-service guarantees for Internet. Protocol data traffic. All Internet Protocol traffic is delivered on a best effort basis such that Internet Protocol packets are often dropped. Due the rapid uncontrolled growth of the Internet, many severe Internet "traffic jams" have occurred at large Internet peering point such as MAE-East and MAE-west. Thus, even if a user has a broadband connection between his residence and his Internet Service Provider (ISP), there is no guarantee that the connection between the Internet Service Provider (ISP) and a desired Internet media server will provide the bandwidth necessary for a rich multimedia stream.

Another problem with attempting to deliver rich multi-media information across the Internet is the point-to-point nature of Internet communication. Most Internet communication occurs in a unicast manner wherein a unique communication connection is established between each information server and each Internet client. Since each Internet client requires its own connection, the bandwidth requirement for serving information grows linearly with the number of Internet clients being served. Furthermore, each Internet client that requests service adds additional load to the server systems that service information. To serve rich multimedia information to a large number of a client systems, a large powerful server farm is required. It is therefore quite expensive from the server end in both communication costs and computer costs to serve large amounts of rich multi-media information.

Due to the above-described problems associated with Internet delivery of multimedia information, the Internet will largely remain a text and-static image based information source. It would be desirable to provide a multimedia rich information system that is similar to the Internet in terms of ondemand access of interesting information but without the bandwidth problems associated with the Internet network system.

DHJ

10

15

20

SUMMARY OF THE INVENTION

The present invention discloses a broadband data broadcast system that allows rich multimedia content to be delivered to the computer and information appliance systems of limitless numbers of subscribers. The broadband data broadcast system operates by multiplexing a plurality of multimedia rich digital information streams together at a centralized data broadcast center. The data broadcast center then broadcasts the multiplexed digital information stream on a broadcast medium such as satellite broadcasts, radio frequency broadcasts, or television broadcasts. A large number of receiver systems receive the broadcast signal and demodulate the broadcast signal to retrieve the multiplexed digital stream. The receiver system extracts a subset of digital information streams that the particular receiver system's owner has designated are of interest. The receiver system then output the interesting digital information streams to a display system or caches the interesting digital information stream for later access.

Other objects, features, and advantages of present invention will be apparent from the company drawings and from the following detailed description.

5

BRIEF DESCRIPTION OF THE DRAWINGS

The objects, features, and advantages of the present invention will be apparent to one skilled in the art, in view of the following detailed description in which:

Figure 1 illustrates an overview of a terrestrial data broadcast system.

Figure 2a illustrates an overview of a multiple broadcaster based terrestrial data broadcast system.

Figure 2b illustrates a block diagram of a multiple broadcaster based terrestrial data broadcast system.

Figure 3a illustrates a multimedia receiver/server system coupled to a personal computer system.

Figure 3b illustrates a multimedia receiver/server system coupled to a television set-top box system.

Figure 3c illustrates a multimedia receiver/server system coupled to a personal computer system that is also coupled to the Internet.

Figure 3d illustrates a multimedia receiver/server system coupled to a television set-top box system that is also coupled to the Internet.

Figure 4 illustrates an embodiment of a multimedia receiver/server system coupled to a computer network such that the multimedia receiver/server system serves multiple client systems.

Figure 5 illustrates an embodiment of a multimedia receiver/server system that receives a data broadcast from a direct video broadcast satellite.

10

Figure 6a illustrates an embodiment of a multimedia receiver/server system that receives a data broadcast on a digital television broadcaster signal.

15

20

Figure 6b illustrates a block diagram of a multimedia receiver/server system that receives data broadcasts from multiple digital television broadcasters.

Figure 7 illustrates a conceptual flow diagram of one possible software architecture for a multimedia receiver/server system.

Figure 8 illustrates a first possible screen display from a multimedia web page served by a multimedia receiver/server system.

Figure 9 illustrates a conceptual diagram of hierarchical multimedia information pages generated and stored by a multimedia receiver/server system.

Figure 10 illustrates a second possible screen display generated by and served from a multimedia web page served by a multimedia receiver/server system.

Figure 11 illustrates a third possible screen display generated by

and served from a multimedia web page served by a multimedia receiver/server system.

DHJ --9-- Geocast.P002

10

15

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENT

A method and apparatus for a directed data broadcast system is disclosed. In the following description, for purposes of explanation, specific nomenclature is set forth to provide a thorough understanding of the present invention. However, it will be apparent to one skilled in the art that these specific details are not required in order to practice the present invention. For example, the present invention has been described with reference to Internet multicasting. However, the same techniques can easily be applied to other types of data communication protocols.

Overview of A Data Broadcast System

Figure 1 illustrates an overview of one embodiment of a data broadcast system that may incorporate the teachings of the present invention. Referring to Figure 1, a data broadcast control center 150 receives digital information from a number of different data origination sources 110, 113, and 115.

For example, a first data origination source 110 transmits a digital information stream to a data broadcast facility 150 along a data communication channel 130. The data origination source 110 may be any entity that provides digital information for broadcast data over a data broadcast medium. One type of entity that may provide digital information for broadcast data over a data broadcast medium may be a broadcast news studio that creates audio and/or

10

15

20

video news segments. The audio and/or video news segments may be digitized before or after transmission to the broadcast facility **150**

The broadcast control center **150** processes the incoming digital information stream from data origination source **110** by adding addressing information, stream descriptor information, and error correction coding. Other stream processing operations may be performed such as encryption of the information streams. The broadcast control center **150** then multiplexes the received digital information stream from data origination source **110** with digital information streams from other sources such as data origination source **113** and data origination source **115**.

After processing the individual digital information streams and multiplexing the individual digital information streams into a single broadcast stream, the broadcast facility 150 then modulates the multiplexed digital information stream onto a digital broadcast signal. The broadcast control center 150 then transmits the digital broadcast signal on a broadcast distribution medium. In the particular embodiment illustrated in Figure 1, a terrestrial wireless broadcast system is used to broadcast the digital broadcast signal to a large number of receiving sites. However, it should noted that many types of broadcast media can be used such as digital broadcast television signals, cable television signals, radio frequency broadcasts, direct video broadcast satellite signals, or any other suitable broadcast medium.

10

15

20

At each data broadcast receiver site is a data broadcast receiver system such as receiver 181 constructed to receive the digital broadcast signal. The receiver system 181 demodulates the digital broadcast signal to retrieve the multiplexed digital information stream. The receiver system 181 then examines the address portion of data packets and/or stream descriptor portions of each digital information stream to determine if the receiver system 181 is interested in a particular digital information stream. The receiver system 181 may be interested in a particular digital information stream if that digital information stream matches a set of preprogrammed interest parameters as defined by the receiver systems owner. The receiver system 181 may cache the matching digital information streams and/or directly output the matching digital information streams to one or more local client systems at the receiver system's site.

In one embodiment, the receiver system may distribute the output digital information streams in multicast Internet Protocol (IP) form on a local area network (LAN) if requested by any multicast subscribers on the LAN. For example, receiver system 184 receives and decodes the multiplexed broadcast signal. The receiver system 184 then rebroadcasts a subset of the received data onto an internal local area network (LAN) 130 such that the information stream is made available to client systems 131, 132, and 133. Furthermore, the receiver system 184 may cache the received digital information internally such that the information may be retrieved by the client systems at a later time.

10

15

Terrestrial Digital Television Data Broadcast Distribution

One broadcast medium that may be used to broadcast digital information is the terrestrial digital television infrastructure that is currently being built out. In a terrestrial digital television based transmission system, the processed multiplexed information stream is broadcast on a digital television transmission system using the MPEG-2 transport protocol.

The cost of building and maintaining a terrestrial digital television transmission system is very high. It would therefore be very expensive to build a terrestrial digital television transmission system just for data broadcasting.

Instead, it would be desirable to share terrestrial digital television broadcast transmission capability with a terrestrial digital television broadcaster. Thus, the present invention introduces an embodiment that uses extra broadcast capacity on terrestrial digital television transmission systems to provide an inexpensive data broadcast transmission system. In a preferred embodiment, extra digital broadcast transmission capacity from more than one digital television broadcaster may be used to provide broadband data broadcasting.

Figure 2a illustrates a data broadcasting embodiment wherein the
data broadcast control center 150 delivers MPEG-2 transport protocol encoded
information streams to one or more terrestrial digital television broadcast centers
251, 252, and 253. The terrestrial digital television broadcast centers (251, 252,
and 253) merge the received MPEG-2 transport protocol encoded information
streams into their ATSC (Advanced Television Standards Committee) digital
television signals. The terrestrial digital television broadcast centers 251, 252,

10

15

20

and 253 then broadcast the merged signal to all the receiver systems through their digital television transmission systems 261, 262, and 263. The receiver systems (181, 182, 183...) receive the ATSC digital television signals and extract the desired digital information streams from the MPEG-2 transport stream. In such a multi-broadcaster embodiment, each receiver system (181, 182, 183...) should have more than one receiver circuit such that multiple digital television broadcast centers (251, 252, and 253) can be monitored simultaneously.

Figure 2 illustrates a block diagram of the embodiment in Figure 1. As illustrated in the block diagram of Figure 2, a multiplexing unit 257 must multiplex all of the processed digital information streams into a number of outgoing digital information streams equal to the number of broadcast stations being used. For example, in the example embodiment of Figures 2a and 2b, the multiplexing unit 557 must distribute the outgoing digital information stream to the three digital television broadcast stations 251, 252, and 253.

The individual digital television broadcast stations 251, 252, and 253 multiplex the data broadcast information in with their local digital television signal. The individual digital television broadcast stations 251, 252, and 253 may also multiplex in additional locally generated data broadcast content. For example, digital television broadcast stations 251 may create additional data broadcast formatted content with local advertisers and local news teams. These local content digital information streams provide additional data broadcast content to the data broadcast digital information streams. All of the receiver

10

15

20

25

systems (181, 182, 183...) will receive the data broadcast signals from all the participating television broadcaster stations (251, 252, and 253).

Additional detailed information on a data broadcasting infrastructure that can use the teachings of the present invention is available in the co-pending patent application entitled "Method and Apparatus for Broadcasting Data With Access Control" having Serial Number _______, filed concurrently with this patent application and hereby incorporated by reference.

Data Broadcast Receiver Systems

The receiver systems of the present invention receive data broadcast information and present that information to users of the receive system. In one embodiment, the data broadcast receiver systems receive the data broadcast streams and present that information to other client systems that display the received digital information. Such an embodiment is referred to as a wireless multimedia receiver/server device since multimedia information is received over a wireless medium and served to other client systems.

Figure 3a illustrates a first example usage of a wireless multimedia receiver/server device. In the embodiment of Figure 3a, a personal computer system 310 is coupled directly to a wireless multimedia receiver/server device 330. A number of different interface ports on computer system 310 may be used for such a connection. For example, a parallel data port, a Small Computer System Interface (SCSI), an Ethernet interface (using a cross-over cable), a

10

15

20

FireWire™ Bus (IEEE.1394), or a Universal Serial Bus (USB) interface may be used to couple computer system 310 to wireless multimedia receiver/server device 330. It is desirable to select the available computer interface having the highest data rate in order to efficiently deliver rich multimedia content from the multimedia receiver/server device 330 to the computer system 310.

The wireless multimedia receiver/server device is not limited to usage by personal computer systems. **Figure 3b** illustrates an example usage wherein a television set-top box **320** is coupled to a wireless multimedia receiver/server device **330**. The television set-top box **320** may operate using standard Internet data communication protocols such as HyperText Transport Protocol (HTTP).

The wireless multimedia receiver/server device 330 may be used alone as illustrated in Figures 3a and 3b or in conjunction with a wired network connection. Figures 3c and 3d illustrate an application of a wireless multimedia receiver/server device 330 wherein the wireless multimedia receiver/server device 330 acts as an intermediary for an Internet connection. In such an embodiment, the wireless multimedia receiver/server device 330 may act as a proxy server for the Internet. In such an arrangement, the wireless multimedia receiver/server device 330 may provide many additional services such as local domain name service (DNS), web page caching, and email service. In a web page caching wireless multimedia receiver/server device 330, the broadcast control center may broadcast versions of very popular web pages to the wireless

multimedia receiver/server devices such that very popular web pages are immediately available.

The receiver systems can be used to provide service to multiple client systems at a receiver site. Figure 4 illustrates a wireless multimedia receiver/server device 480 is coupled to a local area network (LAN) 450. The local area network (LAN) 450 may be constructed using standard Ethernet technology, Token Ring technology, homerun™ home LAN technology, or any other existing or newly created computer network technology. In a computer network based embodiment, the wireless multimedia receiver/server device 480 may serve several client systems coupled to the local area network (LAN) 450. For example, in Figure 4 the multimedia receiver/server device 480 may serve multimedia information to client computer systems 462, 464, 466, and 468.

15

20

25

5

10

Data Broadcast Receiver/Server Hardware

Figure 5 illustrates one embodiment of a multimedia receiver/server device 500. The multimedia receiver/server device 500 receives an encoded data stream through a receiver front-end receiver system 510. The receiver front-end system 510 includes a signal reception system 505 for receiving a digital broadcast signal and accompanying receiver circuitry for demodulating digital broadcast signal received on the signal reception system 505. The signal reception system 505 may be a Ku band satellite antenna, a terrestrial broadcast digital television antenna, a connection to a cable television

10

15

20

25

based digital signal distribution system, or any other appropriate system for receiving broadcast signals.

A Digital Video Broadcast Satellite Based Receiver Front-End

The multimedia receiver/server device **500** of **Figure 5** illustrates a satellite based digital video broadcast based receiver front-end system **510**. In the digital video Broadcast based receiver front-end system **510**, the signal reception system **505** may comprises a Ku Band satellite antenna system.

The Ku Band satellite signal reception system 505 includes a low-noise block converter (LNB) 507 that delivers a frequency converted signal an appropriate satellite band receiver circuitry 511. The satellite receiver circuitry 511 filters and amplifies the frequency range of the desired satellite signal. The satellite receiver circuitry 511 multiplies the filtered signal using a local oscillator to recover an in-phase (I) and quadrature (Q) version of the broadcast signal.

The satellite receiver circuitry **511** passes the in-phase (I) and quadrature (Q) signals to an analog to digital (A/D) converter **515**. The analog to digital (A/D) converter **515** digitizes the in-phase (I) and quadrature (Q) signals and passes the digitized signal information to transport decoder circuitry **517**.

The transport decoder circuitry **517** recovers the transmitted digital bit stream from the digitized in-phase (I) and quadrature (Q) signals. In one Ku band direct video broadcast satellite embodiment, the transport decoder circuitry

517 may includes a demodulator integrated circuit such as the OTI-8511 integrated circuit from Oak Technology of Sunnyvale, California. In such a DVB satellite based system, the OTI-8511 integrated circuit demodulates the in-phase (I) and quadrature (Q) signals to recover an MPEG-2 transport stream. The MPEG-2 transport stream is defined by the ISO standard defined in the document ISO/IEC 13818-1 titled "Information technology - Generic coding of moving pictures and associated audio information: Systems." Control circuitry in the transport decoder circuitry 517 may copy the MPEG-2 transport stream into an I/O memory system 520.

10

5

A terrestrial digital television based Receiver Front-End

Figure 6a illustrates a multimedia receiver/server device 600 that has a different receiver front-end receiver system. Specifically, Figure 6a illustrates a multimedia receiver/server device 600 with a terrestrial digital television based receiver front-end system 610. In particular, a terrestrial digital television based upon the American Television Standards Committee (ATSC) is illustrated. In the ATSC digital television based receiver front-end system 610, the signal reception system 605 comprises an antenna system suitable for receiving ATSC digital television signals.

20

25

15

The ATSC digital television signals are then processed by an ATSC digital television receiver circuit 611. As in the satellite embodiment of Figure 5, the receiver circuit 611 is used to recover an MPEG-2 transport stream. The MPEG-2 transport stream is then decoded by transport decoder circuitry 617. Since the same transport coding is used as disclosed in the preceding receiver

DHJ

10

15

20

25

system, the same MPEG-2 transport stream decoder may be used to decode the signal to retrieve the MPEG-2 transport stream. The output MPEG-2 transport stream may then be placed into the I/O memory system **520**.

As noted in the embodiments of **Figure 5** and **Figure 6a**, multiple different types of receiver systems can be constructed that used different frontend receiver systems. In this manner, slightly modified receiver systems can be built for each target market in order to take advantage of the best broadcast medium for that market. Specifically, ATSC terrestrial digital television frontend receiver systems, direct video broadcast satellite front-end receiver systems, and digital cable television front-end receiver systems can be built for ATSC terrestrial digital television markets, direct video broadcast markets, and digital cable television markets, respectively. With those three different types receiver systems, the same MPEG-2 transport systems is always used such that the same MPEG-2 transport signal can be used for all the different types of markets.

A Multiple Tuner Terrestrial Digital Television Receiver Front-End

As illustrated in **Figure 2a**, it may be desirable to aggregate the extra broadcast bandwidth available from a number of digital television broadcasters within a particular terrestrial broadcast television market. With such an arrangement as depicted in **Figure 2a**, the receiver systems should be able to receive all of the broadcast data signals. **Figure 6b** illustrates a multimedia receiver/server device **600** that includes multiple instances of the receiver front-end receiver system. Specifically, **Figure 6b** illustrates a multimedia receiver/server device **600** with multiple instances of the receiver

DHJ --20-- Geocast.P002

10

circuitry **611**, the Analog to Digital circuitry **615**, and the transport decoder circuitry **617**. In this manner, multiple data broadcasts from multiple digital television broadcasters (**251**, **252**, and **253**) can be simultaneously received. With such a multiple receiver configuration, the aggregated bandwidth may exceed multiple megabytes per second.

Receiver System Digital Information Stream Processing

Referring back to **Figure 5**, once the multiplexed digital stream is copied into the I/O memory system **520**, the processor **540** of the receiver/server **500** performs additional processing of the digital stream. The processor **540** is part of a typical computer system arrangement that includes memory (memory **570** and I/O memory **520**), long term storage **550**, input/output devices (**590**, **541**, **543**, etc.), and a central processing unit (processor **540**).

The processor **540** operates under the control of programs in the main memory **570**. To share the computing resources of the digital receiver system **500**, the processor **540** executes an operating system **571**. The operating

system 571 provides standard operating system features such as input/output

abstraction, multitask scheduling, and memory management. The operating

system allows the application software to easily access and use the resources of

the computer system. In one embodiment of the present invention, the operation

system 571 comprises a version of the Berkeley Standard Distribution (BSD) of

the UNIX operating system. However, other operation systems can be used.

25

20

10

15

20

25

Data Broadcast Receiver/Server Hardware

As illustrated in **Figure 5**, the multimedia receiver/server **500** may execute several application programs concurrently under the control of an operating system **571** to provide data broadcasting services to a user. The software of one embodiment of a multimedia receiver/server system will be disclosed with reference to **Figures 5** and **7**. However, many different multimedia receiver/server software architectures may be created.

Referring to **Figure 7**, a conceptual software architecture diagram of a multimedia receiver/server **700** is illustrated. The software architecture has been designed to process data broadcast information received through a receiver system **701** and present that data broadcast information to a user at a client system **799**. A first step that is performed is parsing of the incoming digital information stream.

Packet Extraction and Processing

Referring the conceptual diagram of Figure 7, a packet extraction and processing system 710 examines the multiplexed digital information stream received by the receiver system 701. The packet extraction and processing system 710 extracts network packets that may be of interest to the multimedia receiver/server system 700. Specifically, the packet processing system 710 identifies and extracts packets that are specifically addressed to the multimedia receiver/server system 700 and packets that have specific defined characteristics. In a preferred embodiment, the data packets are Internet Protocol (IP) packets.

DHJ --22-- Geocast.P002

Referring back to **Figure 5**, the packet processing is performed by one or more decoding, filtering, and decrypting applications **572**. In one embodiment, these applications extract IP packets from MPEG-2 transport frames. The IP packet extraction may include such steps as forward error correction, decryption, and packet reassembly. Normally, not all of the packets in the multiplexed digital information stream will be extracted since many packets may be encrypted in a manner that cannot be decrypted by this unit, addressed to other entities, or otherwise inappropriate.

10

15

20

5

Packet Routing

Referring again to Figure 7, the extracted packets are passed to a packet routing system 730. The packet routing system 730 routes the received packets appropriate destinations. For example, certain system update packets may be addressed for delivery to a receiver/server update application 765. The receiver/server update application 765 may thereby receive information that allows automatic software updates to be performed on the multimedia receiver/server system 700. Packets may also be routed to a management application 741 that manages the operation of the multimedia receiver/server system 700. For example, encryption keys that may be used to decrypt certain digital information streams may be delivered to the management application 741 such that the management application 741 may receive encryption keys and other control parameters.

10

15

The packet routing system 730 may route other data packets to one or more client systems coupled to the multimedia receiver/server system 700 methrough computer interface 790. Thus, it can be seen from Figure 7 that the multimedia receiver/server system 700 may forward data packets received from the data broadcast signal directly to client systems coupled to the multimedia receiver/server system 700. In such operations, the multimedia receiver/server system 700 acts as a packet router to deliver packets broadcast over a broadcast medium. One very useful application for this particular feature is using the multimedia receiver/server system 700 as a multicast router that can deliver multicast packets to any client or network coupled to the multimedia receiver/server system 700. For example, a stock ticker stream may be broadcast as a live multicast IP stream such that a stock trading application on client system 799 may directly receive and use real-time stock trading information.

Referring to **Figure 5**, the packet routing may be performed by a packet routing application **577**. The routing application uses the services provided by the operating system **571** and device drivers **578** to deliver packets to the proper destinations.

20 <u>Information Caching</u>

As seen in the preceding section, the multimedia receiver/server system 700 can be used to immediately route packets received from the data broadcast signal. However, the multimedia receiver/server system 700 can also be used to provide very useful data services by locally caching information.

25 Referring to Figure 7, one or more caching applications 745 (data caching

DHJ --24-- Geocast.P002

10

15

application 573 in **Figure 5**) receives data packets from the packet routing system 730 and caches information from those packets into a file system 750.

In one embodiment, the caching application 745 may request to receive packets addressed to one or more designated multicast addresses that carries multimedia information and accompanying descriptors. The caching application 745 selectively captures multimedia information and stores that multimedia content information 753 in a file system 750. The caching application 745 may create multimedia information directory 755 such that the cached multimedia information may be quickly searched and accessed. The multimedia information may consist of anything that can be expressed in digital form including audio, video, text, web pages, and computer programs.

In one embodiment, each multimedia information stream is preceded by a multimedia descriptor. The multimedia descriptor describes the details of the upcoming multimedia stream. The caching application 745 can use the multimedia descriptor to determine if the upcoming multimedia stream should be cached or not. For example, in one embodiment the user defines a set of categories that the user finds interesting. These categories are stored in users preferences file 757. Then, the caching application 745 uses the multimedia descriptor information in conjunction with the set of user preferences 757 to select multimedia streams that contain news or information related to the defined set of user interests. The caching application 745 can use the multimedia descriptor to help build the multimedia directory 755.

25

20

The following list provides some of the information that may be provided in a multimedia descriptor: Title: A title for the multimedia stream Full Headline: A news headline that can be used to describe the 5 multimedia stream in a web page. Origination date/time: The time the stream was broadcast. Suggested expiration: A suggested expiration time for the stream. A multimedia receiver/server may use the expiration time to determine when the stream should be deleted from the multimedia content cache 10 753. Source: A source of the multimedia stream (Reuters, CNN, Associated Press, United Press International, etc.) Multimedia Stream Format: Information that describes the protocol and format of the multimedia information stream. 15 Accompanying multimedia stream(s): Other related multimedia streams. SDP descriptor: A session description protocol (SDP) as defined by the IETF RFC 2327 for the multimedia stream. Importance: A relative importance value assigned to the multimedia stream. The Importance value may be used when created user displays such that highly important stories are listed first. 20 Categorization code: A detailed categorization value that defines the subject matter of the multimedia stream. The categorization code may be hierarchical. For example, a multimedia video clip about the Minnesota Vikings winning the Superbowl may be categorized as 25 Sports/NFL/MN_Vikings Ticker Symbols: If the multimedia story is related to one or more publicly traded corporations, the ticker symbols of those corporations should be listed here. This field can be used to identify stories about a public corporation when performing investment research. 30 Searching keywords: A set of keywords that are associated with the multimedia stream. The searching keywords can be used to locate relevant multimedia streams when searching the multimedia content. News Item HTML: A preformatted web page that can be used to

introduce or accompany a multimedia stream.

News Item Text: Text that describes the multimedia stream.

As can be seen from the multimedia descriptor description, the caching application **745** is provided with a large number of fields that can be used to select interesting multimedia streams. Additional fields may be used to provide additional information about the multimedia streams.

5

10

15

20

The caching application **745** may also handle cache clean up. Specifically, old and outdated information should be removed from the file system **750** to conserve resources. The caching application **745** may use a number of different methods of selecting information to remove. One simple method of performing cache clean up is to remove cached items after their suggested expiration time has elapsed.

Information Serving

The multimedia receiver/server system 700 may present the cached multimedia information in a number of different ways. However, one of the most popular current methods of presenting information is in the form of World Wide Web (WWW) pages formatted in HyperText Markup Language (HTML) or eXtensible Markup Language (XML). One embodiment of the multimedia receiver/server system 700 uses a web page constructing application 760 to create WWW pages 759 that may be presented to client systems. (The web page constructing application is listed as web page building applications 576 in Figure 5.)

The web page constructing application 760 may continually examine the contents of the multimedia directory 755 and the multimedia

content 753 to locate information to be incorporated into web pages. In one embodiment, the caching application 745 directly informs the web page constructing application 760 about the multimedia streams that will be cached. In this manner, the web page constructing application 760 can incorporate the newly cached information into the web pages. Furthermore, the web page constructing application 760 can incorporate "live" information that is currently being received by referring to a multicast stream that contains the live stream. Similarly, the caching application 745 should inform the web page constructing application 760 about multimedia information being removed from the file system 750 such that the web page constructing application 760 can remove references to deleted information.

The web page constructing application 760 should create web pages in accordance with the user's particular preferences. Specifically, the web page constructing application 760 refers to the user preferences file 757 to create a custom multimedia enhanced web page that specifically contains information according to the user's preferences. In a multiple client environment, the web page constructing application 760 may create a different customized web page for each user that uses the multimedia receiver/server system 700.

20

25

5

10

15

A web server application 781 serves the created web pages 759 to client systems that request the web pages 759. (The web server application is listed as main server application 574 on Figure 5.) Due to the caching of rich multimedia information, the web server 781 may be aided by one or more file streaming applications 782 and 783. The file streaming applications 782 and 783

10

15

20

25

stream rich multimedia information such as videos and audio that may be incorporated into the customized web pages 759. Furthermore, the web pages may incorporate "live" streaming information that is delivered straight from the packet routing system 730. In this manner, video from live events can be incorporated directly into web pages.

Other methods of serving information besides using the World Wide Web protocols and formats may also be provided. For example, server 787 may provide raw file information to client systems the well-known Network File System (NFS). Server 787 could also be a File Transport Protocol (FTP) server. Other server applications that implement other protocols can also be implemented.

A Data Broadcast News Application

To illustrate one type of service that may be provided by the data broadcast system of the present invention, an example of a data broadcast news application is disclosed. Referring to **Figure 7**, a user at a client system creates a set of preferences that describe the user's interests. The user preferences may be obtained by presenting a set of forms to the user with web server **781**. The forms can be processed by Common Gateway Interface (CGI) scripts that store the user's preferences into user preferences file **757**. For example, a user may specify that he is interested in top news stories, sports information, financial information, and science & technology information.

DHJ --29-- Geocast.P002

10

15

20

25

Using the user interests in the user preferences file 757, the data caching application 745 begins collecting multimedia streams and multimedia descriptors broadcast over the data broadcast system. The caching application 745 creates a multimedia directory 755 using multimedia descriptor information. The caching application 745 may directly inform the web page constructing application 760 about the information streams that are being cached.

The web page constructing application 760 then uses the user preference information 757 along with multimedia descriptor information from the caching application 745 or from the multimedia directory 755 to create a customized multimedia enhanced web page for the user. Figure 8 illustrates one possible example of a customized new web page created for the example user that is interested in top news stories, sports information, financial information, and science & technology information.

As depicted in **Figure 8**, the top news stories related to the user's interests are displayed in headline form. Furthermore, a multimedia video clip stream related to the most important news story within the user's interests is playing within a window of the web page display. The user can control the video clip using common VideoCassette Recorder (VCR) type controls such as play, stop, fast-forward, reverse, and mute. A video window as depicted in **Figure 8** may be implemented using a RealVideo viewer from RealNetworks of Seattle, Washington or a NetShow viewer from Microsoft Corporation of Redmond, Washington. If the user is very interested in the story playing within

DHJ --30-- Geocast.P002

10

15

20

the selected video clip, the user can expand the video to fill the full screen of the client system. The user may also retrieve other information related to the displayed video clip.

If the user is not interested in the video clip currently being displayed, the user can select one of the other headlines to bring up information on that story. The information may consist of a video clip, an audio clip, a web page, a text story, or any other digital information presentation.

The news web pages of the present invention can be created in typical hierarchical organization that is familiar to most computer users. Figure 9 illustrates a conceptual diagram of a set of hierarchical web pages that have been created using the user's preferences and the available multimedia information. Thus, referring back to Figure 8, if the user is not interested in the video clip currently being displayed or any of the current headlines, the user can select one of the different headline categories. The web server will then present a web page with specific category information.

In one embodiment, the user can select one of the headlines in a story to bring up a web page with additional stories in that category and detailed information about the selected story. For example, if the user selects the "NJ Devils trade Star Wing" headline the Sports news web page illustrated in Figure 10 may be presented. As illustrated in Figure 10, a video clip of the hockey player trade is displayed. Furthermore, the web page displays sports related news as a list of sports headlines. In the example of Figure 10, the sports 25

Geocast.P002 --31--DHJ

category sub-categories of NFL Headlines, NBA headlines, NHL headlines, and Other Sports Headlines are displayed.

Searching

5

10

The multimedia receiver/server system 700 can be used to provide custom web pages created in response to a user's query. For example, Figure 10 illustrates a search term input box wherein a user may enter one or more search terms. More detailed searching can be performed by selecting the "search" prompt. As illustrated in Figure 10, a user has requested a search to be performed using the term "Geocast." Referring back to Figure 7, the web page construction application 760 uses the entered search term to search the multimedia directory 755. Furthermore, the web page construction application 760 may examine descriptor information for multimedia streams currently being received such that "live" content may be incorporated.

15

20

25

Using the located information that is related to the search terms, the web page construction application 760 dynamically creates a web page that may be presented to the user. Figure 11 illustrates an example of a web page that may be created after searching the multimedia directory 755 with the search term "Geocast". As illustrated in Figure 11, the dynamically generated web page contains a list of headlines from stories or multimedia streams related to the search term. The detailed information from most important story may be presented in a separate window as illustrated in Figure 11. In this example, the multimedia information is a short text story with an accompanying audio stream of an official company announcement. Furthermore, the web page construction

DHJ --32-- Geocast.P002

application **760** may include information from stories or multimedia information that may be related to the search terms.

In one embodiment wherein the multimedia receiver/server system 700 is coupled to the Internet, the web page construction application 760 may also include information retrieved from the Internet. Thus, the multimedia receiver/server system 700 can be used to merge multimedia information received over the data broadcast network with information retrieved from the Internet into a single display.

10

5

A Data Broadcasting Service

As disclosed, the present invention teaches methods and apparatus for implementing a broadband data broadcast system. The broadband data broadcast system allows rich multimedia information to be delivered to endusers that have narrowband or even no connection to the Internet. The broadband data broadcast system can be used to create a broadband data broadcast information service.

20

25

15

In one embodiment, the broadband data broadcast information service operates by selling multimedia receiver/server devices to consumers that desire service. The consumers connect their multimedia receiver/server devices to appropriate client systems such as personal computers, television set-top boxes, and home networks.

DHJ --33-- Geocast.P002

10

15

20

25

In one embodiment, a stand-alone multimedia receiver/display device may be sold such that users can use the service without having to have any other client system. Such an embodiment would be similar to the embodiment of **Figure 5** except that the client interface circuitry **590** would be replaced by a display device that is capable of displaying information and the software would include client software for displaying information on the display device.

The broadband data broadcast service could be subscription based, advertiser supported, or a combination of paid subscription content and advertiser supported content. In a preferred embodiment, a significant amount of information is broadcast without a subscription requirement but is accompanied by advertising multimedia information that is displayed concurrently or intermittently. For example, an advertisement window can be added to the screen displays of **Figures 8**, **10**, and **11**. Due to the broadband nature of the disclosed data broadcasting system, the advertisement window can include video and audio information. Thus, the broadband data broadcast system of the present invention permits advertisers to provide a rich multimedia message to users.

The advertisements can be accompanied by additional detailed information and programs stored locally on the file system **750**. Thus, when a user is interested in a particular advertisement, the user can obtain that additional information or run programs associated with the advertisement. For

10

15

20

25

example, an advertisement for a catalog based clothing merchant can be linked to a full version of the merchant's clothing catalog stored locally on the multimedia receiver/server device 700. Advertisers that desire to have large commercial documents such as product catalogs stored within the cache of the multimedia receiver/server systems could be charged a fee for such a privilege. The fee may be related to the amount of time that the commercial documents will be cached in the multimedia receiver/server device 700.

The user can browse the locally stored clothing catalog and select items for purchase. If the user has an Internet connection, the user can fill out an order form to order an item from the catalog. The broadband data broadcast capability of the present invention allows the catalog to include far more detailed information than normally presented on an Internet web page. Furthermore, the caching capability of the system allows all the catalog information to be stored locally for immediate and instantaneous access. Thus, it can be seen that the data broadcast service of the present invention provides the rich multimedia experience of radio and television along with the interactive browsing features of the Internet.

As depicted in **Figures 3a** and **3b**, not all users of the multimedia receiver/server system of the present invention will have an Internet "back channel." Thus, a user without an Internet connection that browses a product catalog contained within the multimedia receiver/server system cannot initiate an Internet based ecommerce transaction. For such users, **Figure 5** illustrates one embodiment of the present invention that includes wireless network circuitry **543**

DHJ --35-- Geocast.P002

10

15

20

for providing a wireless back channel. For example, a contract may be made with a cellular telephone provider to obtain access to the Short Messaging Service (SMS) portion of their cellular telephone network. The wireless network circuitry 543 may provide significant bandwidth to enable complex transactions such as online gaming, however the wireless network circuitry 543 need only provide a narrowband connection for ecommerce applications such as purchase orders.

In addition to advertiser supported content, a number of subscription fee based premium services can be offered using the directed broadcast system of the present invention. For example, a special financial information subscription package may be offered that contains real-time stock quotes and in-depth financial news. Such subscription fee based premium data broadcast services would be protected by encrypting the digital information streams containing the premium content. To prevent piracy, the encryption system can be aided with the use of tamper-proof encryption circuitry 545 as depicted in Figure 5. The tamper-proof encryption circuitry 545 contains private keys that cannot be accessed. Attempts to access the secret encryption keys within the encryption circuitry 545 will destroy the encryption circuitry 545. In one embodiment, the secure encryption module 870 comprises an iButton from Dallas Semiconductor of Dallas, Texas.

The foregoing has described a directed data broadcast system. It is contemplated that changes and modifications may be made by one of ordinary

skill in the art, to the materials and arrangements of elements of the present invention without departing from the scope of the invention.

DHJ --37-- Geocast.P002

CLAIMS

We claim:

1	1. A multimedia receiver apparatus, said apparatus
2	comprising:
3	a wireless receiver circuit, said wireless receiver demodulating a wireless
4	encoded digital multimedia signal having a plurality of multimedia
5	streams;
6	a processor, said processor selecting and extracting a subset of multimedia
7	streams of said plurality of multimedia streams;
8	a long term storage device, said processor caching a subset of information
9	from said subset of multimedia streams into said long term storage
10	device; and
11	a computer network interface, said computer network interface for
12	selectively outputting information from said subset of multimedia
13	streams.
1	2. The apparatus of claim 1 wherein said wireless encoded

- 2 digital multimedia signal comprises a satellite broadcast signal.
- 3. The apparatus of claim 1 wherein said wireless encoded
 digital multimedia signal comprises a terrestrial digital television broadcast
 signal.

1	4.	The apparatus of claim 1 wherein each multimedia stream
2	comprises Internet	Protocol packets.
1	5.	The method of claim 1 wherein said wireless encoded digital
2	multimedia signal	comprises MPEG-2 transport protocol.
		,
1	6.	The apparatus of claim 5 wherein each multimedia stream
2	comprises Internet	t Protocol packets encapsulated within said MPEG-2 transport
3	protocol.	
1	7.	The apparatus of claim 1 wherein said wireless receiver
2	circuit comprises	an ATSC digital television receiver circuit.

1 8. The apparatus of claim 1 wherein said wireless receiver 2 circuit comprises an ATSC digital television receiver circuit.

DHJ --39-- Geocast.P002

1	9. The apparatus of claim 1 wherein said wireless receiver			
2	circuit comprises a direct video broad satellite receiver circuit.			
1 2	10. The apparatus of claim 1 wherein said wireless receiver circuit comprises a digital cable television receiver circuit.			
1	11. The apparatus of claim 1 wherein said processor outputs			
2	information from said subset of multimedia streams in a World Wide Web			
3	format.			
1	12. A method of generating revenue, said method comprising:			
2	distributing a plurality of data broadcast receiver systems, said data			
3	broadcast receiver systems comprising			
4	receiver circuitry for demodulating and decoding an encoded			
5	digital information signal,			
6	cache for storing multimedia information from said encoded digital			
7	information signal, and			
8	interface circuitry for coupling a receiver system to a client system			
9	to output said multimedia information to said client system;			
10	receiving a broadcast and retention fee from an entity desiring to			

DHJ --40-- Geocast.P002

distribute designated digital information; and

12	broadcasting designated digital information to said data broadcast
13	receiver systems; and
14	caching said designated digital information in said data broadcast receiver
15	systems such that client systems coupled to said data broadcast
16	receiver systems may retrieve said designated digital information.

- 1 13. The method of claim 12 wherein said entity pays a fee 2 related to an amount of time that said designated digital information will be 3 cached in said broadcast receiver systems.
- 1 14. The method of claim 12 wherein said entity pays a fee 2 related to an amount of said designated digital information.
- A method of distributing data, said method comprising: 1 15. broadcasting a plurality of popular multimedia streams across a broadcast 2 3 medium; receiving said plurality of popular multimedia streams in data broadcast 4 5 receiver system; caching a subset of said popular multimedia streams in a cache in said 6 data broadcast receiver system; 7 coupling said data broadcast receiver system to a wired network; 8

DHJ --41-- Geocast.P002

2

3

1

2

3

4

5

6

8

9	receiving data information from said wired network into said data
10	broadcast receiver system; and
11	presenting a unified data service to a client computer system coupled to
12	said data broadcast receiver system that comprises said subset of said
13	popular multimedia streams cached on said receiver system and said
14	data information retrieved from said wired network.

1 16. The method of distributing data as claimed in claim 15 2 wherein said wired network comprises the Internet.

17. The method of distributing data as claimed in claim 15 wherein said data information from said wired network comprises information from an Internet portal site.

18. The method of distributing data as claimed in claim 15 further comprising:

receiving in data broadcast receiver system a query from said client system;

searching said cache for matching multimedia streams that match said query;

searching a server system coupled to said wired network for matching data information that matches said query; and

DHJ --42-- Geocast.P002

2

3

4

5

7

8

9

10

9	presenting a query response from said data broadcast receiver system to
10	said client system that comprises said matching multimedia streams
11	and matching data information.

- 1 19. The method of claim 15 further comprising:
- 2 encrypting each digital information stream.

20. A data broadcast system, said data broadcast system comprising:

An MPEG-2 transport stream based data broadcast control center, said MPEG-2 transport stream based data broadcast control center creating a MPEG-2 transport stream based data broadcast stream;

Digital cable television based data broadcast receiver for receiving said MPEG-2 transport stream in digital cable television markets; and An ATSC terrestrial digital television broadcast based data broadcast receiver for receiving said MPEG-2 transport stream in ATSC

terrestrial digital television broadcast markets.

1	21. The data broadcast system of distributing data as claimed in
2	claim 20 further comprising:
3	a direct video broadcast satellite based data broadcast receiver for
4	receiving said MPEG-2 transport stream in direct video broadcast
5	satellite markets.

, ..

DHJ --44-- Geocast.P002


10


15


ABSTRACT OF THE DISCLOSURE


A broadband data broadcast system that allows rich multimedia content to be delivered to a plurality of subscribers is disclosed. The broadband data broadcast system operates by multiplexing a plurality of rich multimedia digital information streams together at a centralized data broadcast center. The data broadcast center then broadcasts the multiplexed digital information stream on a broadcast medium such as satellite broadcasts, radio frequency broadcasts, or digital television broadcasts. A large number of receiver systems receive the broadcast signal and demodulate the broadcast signal to retrieve the multiplexed digital stream. The receiver system extracts a subset of digital information streams that the particular receiver system's owner has designated are of interest. The receiver system caches the interesting digital information stream for later access. The receiver system outputs the interesting digital information streams to a client system upon demand. The receiver system may also stream an incoming digital information stream to a client as the stream is received.


DHJ --45-- Geocast.P002























Figure 8

Personal News On-Demand

News Headlines

- Serbia Leaves Kosovo
- Manned Mars Mission LaunchMN Vikings win Superbowl!
 - •Ice Storm Cripples East Coast
- •Dow hits 20,000
- •Bill Gates Donates 5 billion

Sports Headlines

- •MN Vikings defeat 49ers
- •NJ Devils trade star wing

LIVE - Serbia Agrees to Leave Kosovo

- •2008 Olympics in Beijing
 •Michael Jordan Coaches Lakers Fullscreen
 - •Mexico team joins MLB

Science and Technology

- •Manned Mars Mission Launch •International Mars Mission Crew
- •Human Genome project complete
 - Music ROM format released
 Solar Storm disrupts satellites

•AOL and Geocast form joint venture

·Tech stocks gain

•Microsoft releases Office for Linux

Financial Headlines


•Dow hits 20,000

•GM and Toyota Merge

Voyager's last words

Local Information News Weather Traffic Sports Entertainment

Search:



Top Sports Headlines Personal News On-Demand

- MN Vikings win Superbowl!
 - NJ Devils trade star wing
- •2008 Olympics in Beijing
- •Michael Jordan Coaches Lakers
- •Mexico team joins MLB

NFL Headlines

- •MN Vikings defeat 49ers
- Cunningham surprises critics
 MN fans celebrate 1st victory
- •49er fans stunned by loss

NBA Headlines

NJ Devils trade star wing LeDue to LA

- •Michael Jordan Coaches Lakers Fullscreen
 - NJ Nets defeat Celtics
- Utah Jazz star Smith arrested
- ·Clippers to leave LA

NHL Headlines

- •NJ Devils trade star wing
- Oilers defeat Blackhawks

•Michael Jordan Coaches Lakers •Mexico team joins MLB •Tennis Legend Passes away at 80 •AL debates designated hitter rule

•2008 Olympics in Beijing

Other Sports Headlines

Local Information

<u>News Weather Traffic Sports</u> Entertainment

Search: Geocast

-

Personal News On-Demand

Search Result Headlines

- •AOL and Geocast form joint venture
- Geocast celebrates 2 million customers
 - AOL and Geocast talks rumored
- No Geocast comment on AOL talks
- Wireless fulfills broadband promises
 - Geocast stock hits new high

Possible Related Headlines

- •AOL joins DOW Index
- Pointcast generates new strategy

delays associated with traditional computer

networks. Yada yada yada yada ...

•E! to generate data broadcast content •Digital Television sales soar

multimedia information to AOL's customers using Geocast's Geobox wireless broadband data broadcasting service. The joint venture (Mountain View, California) - Geocast and announced a joint venture to distribute rich Geocast and AOL form joint Venture multimedia content delivered without the will allow AOL customers to enjoy rich on-line giant America Online (AOL)

AOL/Geocast Announcement

Internet Headlines

- •AOL and Geocast joint venture announced | प्र
 - •Geocast hits 2 million customer mark
 - Rumor: AOL and Geocast?
- •Geocast stock soars in tech stock rally

Figure

News Weather Traffic Sports Entertainment Local Information

May had god

Attorney's Docket No.: 00167.P003

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

A Broadband Data Broadcasting Service

the	specit	ication	of	which	1
-----	--------	---------	----	-------	---

<u>xx</u>	is attached hereto. was filed on April 16, 1999 as United States Application Number 09/293,594 or PCT International Application Number and was amended on
	(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application	<u>(s)</u>		Priority <u>Claimed</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

provisional application(s) listed b		e, Section 119(e) of any Officed States
(Application Number)	Filing Date	
(Application Number)	Filing Date	
application(s) listed below and, ir is not disclosed in the prior Unite of Title 35, United States Code, 3 known to me to be material to pa	nsofar as the subject mat ed States application in the Section 112, I acknowled atentability as defined in T lable between the filing d	ode, Section 120 of any United States ter of each of the claims of this application a manner provided by the first paragraph ge the duty to disclose all information itle 37, Code of Federal Regulations, ate of the prior application and the national
(Application Number)	Filing Date	(Status patented, pending, abandoned)
(Application Number)	Filing Date	(Status patented, pending, abandoned)
Independence Drive, Menlo Parl	k, CA 94025, telephone (6 full power of substitution	patent agent, with offices located at 100 650) 566-8111, and James R. Thein, Reg. No. and revocation, to prosecute this application and se connected herewith.
Send correspondence to <u>Dag</u> 94025 and direct telephone calls	H. Johansen , 1 to <u>Dag H. Johansen</u> ,	00 Independence Drive, Menlo Park, CA (650) 566-8111.
statements made on information statements were made with the punishable by fine or imprisonment	and belief are believed to knowledge that willful fals ent, or both, under Sectio	on knowledge are true and that all to be true; and further that these estatements and the like so made are in 1001 of Title 18 of the United States the validity of the application or any
Full Name of Sole/First Inventor	Tsutomu Shimomura	
Inventor's Signature	·/	Date 24 Vy 1999
Residence Incline Village, NV (City,	State)	Citizenship <u>Japan</u> (Country)
Post Office Address 318 Ski Wa		

Full Name of Second/Joint Inventor Steve Waltman	
Inventor's Signature	Date
Residence(City, State)	Citizenship(Country)
(City, State)	(Country)
Post Office Address	
-	
Full Name of Third/Joint Inventor Mark Peting	
Inventor's Signature	Date
Residence <u>Tigard, OR</u> (City, State)	Citizenship <u>U.S.A.</u>
(City, State)	(Country)
Post Office Address <u>13981 SW Aerie</u> <u>Tigard, OR 97224</u>	
rigald, On 31224	
Full Name of Fourth/Joint Inventor Castor Fu	7.
Inventor's Signature	Date 74,/199
Residence Menlo Park, California (City, State)	Citizenship <i>O SA</i>
Post Office Address 1508 San Antonio St # F	
Post Office Address 1300 Jan Antonio 37 47,	rienio lank, CA 79025
Full Name of Fifth/Joint Inventor Dag H. Johansen	
Inventor's Signature	Date 5/25/99
	Citizenship <u>U.S.A.</u>
(City, State)	(Country)
Post Office Address 335 Middlefield	
Palo Alto, CA 94301	
Full Name of Sixth/Joint Inventor Geoff Mulligan	
Inventor's Signature	Date
Residence	Citizenship
Residence(City, State)	(Country)
Post Office Address	

Title 37, Code of Federal Regulations, Section 1.56 <u>Duty to Disclose Information Material to Patentability</u>

- (a) A patent by its very nature is affected with a public interest. The public interest is best served. and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclosure all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:
 - (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made or record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
 - (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

Attorney's Docket No.:	00167.P003	<u>PATENT</u>
------------------------	------------	---------------

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

A Broadband Data Broadcasting Service

the sp	ecifica	tion	of w	hich
--------	---------	------	------	------

	is attached hereto.
XX	was filed on April 16, 1999 as
	United States Application Number 09/293,594
	or PCT International Application Number
	and was amended on
	(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority <u>Claimed</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under provisional application(s) listed		ode, Section 119(e) of any United States
(Application Number)	Filing Date	
(Application Number)	Filing Date	
application(s) listed below and, application is not disclosed in th paragraph of Title 35, United Stainformation known to me to be r	insofar as the subject ma le prior United States app ates Code, Section 112, I material to patentability as n became available betwe	lication in the manner provided by the first acknowledge the duty to disclose all sefined in Title 37, Code of Federal sen the filing date of the prior application
(Application Number)	Filing Date	(Status – patented, pending, abandoned)
(Application Number)	Filing Date	(Status patented, pending, abandoned)
Independence Drive, Menlo Par	k, CA 94025, telephone (n full power of substitution	patent agent, with offices located at 100 650) 566-8111, and James R. Thein, Reg. No. and revocation, to prosecute this application Office connected herewith.
Send correspondence to <u>Dac</u> 94025 and direct telephone calls		00 Independence Drive, Menlo Park, CA (650) 566-8111.
statements made on information statements were made with the punishable by fine or imprisonm	n and belief are believed knowledge that willful fals ent, or both, under Section	wn knowledge are true and that all to be true; and further that these se statements and the like so made are on 1001 of Title 18 of the United States ze the validity of the application or any
Full Name of Sole/First Inventor	r <u>Tsutomu Shimomura</u>	
Inventor's Signature		Date
Residence Incline Village, NV (City,	State)	Citizenship <u>Japan</u> (Country)
Post Office Address 318 Ski Wa	•	

Full Name of Second/Joint Inventor Steve Waltman	
Inventor's Signature 8000000000000000000000000000000000000	Date 22 Jun 77
Residence Boulder, CO (City, State)	Citizenship
Post Office Address 1441 County Rd &3 Boulder co 80302	
Full Name of Third/Joint Inventor Mark Peting	
Inventor's Signature	Date
Residence <u>Tigard, OR</u> (City, State)	Citizenship <u>U.S.A.</u> (Country)
Post Office Address <u>13981 SW Aerie</u> <u>Tigard, OR 97224</u>	
Full Name of Fourth/Joint Inventor Castor Fu	
Inventor's Signature	Date
Residence(City, State)	Citizenship
(City, State) Post Office Address	
Full Name of Fifth/Joint Inventor Dag H. Johansen	
Inventor's Signature	Date
Residence <u>Palo Alto, CA</u> (City, State)	Citizenship <u>U.S.A.</u> (Country)
Post Office Address 335 Middlefield Palo Alto, CA 94301	
Full Name of Sixth/Joint Inventor Geoff Mulligan	
Inventor's Signature	Date
Residence(City, State)	Citizenship
Post Office Address	,

Title 37, Code of Federal Regulations, Section 1.56 <u>Duty to Disclose Information Material to Patentability</u>

- (a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclosure all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:
 - (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made or record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
 - (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

Attorney's Docket No.: 00167.P003 PATENT

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

the specification of which

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

A Broadband Data Broadcasting Service

XX	is attached hereto. was filed on April 16, 1999 as
	United States Application Number 09/293,594
	or PCT International Application Number
	and was amended on

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

(if applicable)

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority <u>Claimed</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under to provisional application(s) listed b		ode, Section 119(e) of any United States
(Application Number)	Filing Date	
(Application Number)	Filing Date	
application(s) listed below and, in application is not disclosed in the paragraph of Title 35, United Stati information known to me to be m	nsofar as the subject ma prior United States app tes Code, Section 112, I aterial to patentability as became available betwe	lication in the manner provided by the first acknowledge the duty to disclose all selfined in Title 37, Code of Federal een the filing date of the prior application
(Application Number)	Filing Date	(Status patented, pending, abandoned)
(Application Number)	Filing Date	(Status patented, pending, abandoned)
Independence Drive, Menlo Park	, CA 94025, telephone (full power of substitution	patent agent, with offices located at 100 650) 566-8111, and James R. Thein, Reg. No. and revocation, to prosecute this application Office connected herewith.
Send correspondence to <u>Dag</u> 94025 and direct telephone calls	H. Johansen, 1 toDag H. Johansen,	00 Independence Drive, Menlo Park, CA (650) 566-8111.
statements made on information statements were made with the k punishable by fine or imprisonme	and belief are believed to nowledge that willful fals ont, or both, under Section	wn knowledge are true and that all to be true; and further that these se statements and the like so made are on 1001 of Title 18 of the United States are the validity of the application or any
Full Name of Sole/First Inventor	Tsutomu Shimomura	
Inventor's Signature		Date
Residence Incline Village, NV (City, S	State)	Citizenship <u>Japan</u> (Country)
Post Office Address 318 Ski Way	,	(Courtily)

Full Name of Second/Joint Inventor Steve Waltman	
Inventor's Signature	Date
Residence(City, State)	Citizenship
(City, State)	(Country)
Post Office Address	
-	
Full Name of Third/Joint Prventor Mark Peting	
Inventor's Signature	Date 5-26-1919
Residence Tigard, OR	Citizenship <u>U.S.A.</u>
(City, State)	(Country)
Post Office Address 13981 SW Aerie Tigard, OR 97224	
11gard, 011 97224	
Full Name of Fourth/Joint Inventor Castor Fu	
Inventor's Signature	Date
Residence(City, State)	Citizenship
Post Office Address	
Full Name of Fifth/Joint Inventor Dag H. Johansen	
Inventor's Signature	
Residence Palo Alto, CA	Citizenship <u>U.S.A.</u> (Country)
(City, State)	(Country)
Palo Alto, CA 94301	
Full Name of Sixth/Joint Inventor Geoff Mulligan	
Inventor's Signature	Date
Residence	
Residence(City, State)	(Country)
Post Office Address	

Title 37, Code of Federal Regulations, Section 1.56 Duty to Disclose Information Material to Patentability

- (a) A patent by its very nature is affected with a public interest. The public interest is best served, and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclosure all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:
 - (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made or record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
 - (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.

Attorney's Docket No.:	<u>00167.P003</u>	<u>PATENT</u>
------------------------	-------------------	---------------

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

As a below named inventor, I hereby declare that:

the specification of which

My residence, post office address and citizenship are as stated below, next to my name.

I believe I am the original, first, and sole inventor (if only one name is listed below) or an original, first, and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

A Broadband Data Broadcasting Service

XX	is attached hereto. was filed on April 16, 1999 as United States Application Number 09/293,594 or PCT International Application Number and was amended on
	(if applicable)

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claim(s), as amended by any amendment referred to above.

I acknowledge the duty to disclose all information known to me to be material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d), of any foreign application(s) for patent or inventor's certificate listed below and have also identified below any foreign application for patent or inventor's certificate having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)			Priority <u>Claimed</u>	
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No
(Number)	(Country)	(Day/Month/Year Filed)	Yes	No

I hereby claim the benefit under provisional application(s) listed to		de, Section 119(e) of any United States
(Application Number)	Filing Date	
(Application Number)	Filing Date	
application(s) listed below and, i is not disclosed in the prior Unite of Title 35, United States Code, known to me to be material to pa	nsofar as the subject mat ed States application in th Section 112, I acknowled atentability as defined in I ilable between the filing d	ode, Section 120 of any United States ter of each of the claims of this application e manner provided by the first paragraph ge the duty to disclose all information itle 37, Code of Federal Regulations, ate of the prior application and the national
(Application Number)	Filing Date	(Status patented, pending, abandoned)
(Application Number)	Filing Date	(Status patented, pending, abandoned)
Independence Drive, Menlo Parl	k, CA 94025, telephone (full power of substitution	patent agent, with offices located at 100 650) 566-8111, and James R. Thein, Reg. No. and revocation, to prosecute this application and se connected herewith.
Send correspondence to <u>Dac</u> 94025 and direct telephone calls		00 Independence Drive, Menlo Park, CA (650) 566-8111.
statements made on information statements were made with the punishable by fine or imprisonment	and belief are believed to knowledge that willful fals ent, or both, under Sectio	vn knowledge are true and that all to be true; and further that these e statements and the like so made are in 1001 of Title 18 of the United States the validity of the application or any
Full Name of Sole/First Inventor	Tsutomu Shimomura	
Inventor's Signature		Date
Residence Incline Village, NV (City,	State)	Citizenship <u>Japan</u> (Country)
Post Office Address 318 Ski Wa	y Blvd. age, NV 89450	

Full Name of Second/Joint Inventor Steve Waltman	
Inventor's Signature	Date
Residence(City, State)	_ Citizenship
(City, State)	Citizenship (Country)
Post Office Address	
•	
Full Name of Third/Joint Inventor Mark Peting	
Inventor's Signature	Date
Residence Tigard, OR	_ Citizenship U.S.A.
(City, State)	(Country)
Post Office Address 13981 SW Aerie Tigard, OR 97224	
11gard, Off 37224	
Full Name of Fourth/ Joint Inventor Contra Fu	
Full Name of Fourth/Joint Inventor Castor Fu	
Inventor's Signature	Date
Residence(City, State)	Citizenship(Country)
Post Office Address	• • • • • • • • • • • • • • • • • • • •
- Cot Office Address	
Full Name of Fifth/ laint Inventor Day 11. Laborator	
Full Name of Fifth/Joint Inventor <u>Dag H. Johansen</u>	
Inventor's Signature	Date
Residence Palo Alto, CA (City, State)	_ Citizenship <u>U.S.A.</u> (Country)
Post Office Address 335 Middlefield	(Godiniy)
Palo Alto, CA 94301	
Full Name of Sixth/Joint Inventor Geoff Mulligan	C (-
Inventor's Signature	Date <u>()/29/77</u>
Residence O State O	_ Citizenship <u>USA</u>
(City, State)	(Country)
Post Office Address 15 Coverdal	150

Title 37, Code of Federal Regulations, Section 1.56 <u>Duty to Disclose Information Material to Patentability</u>

- (a) A patent by its very nature is affected with a public interest. The public interest is best served. and the most effective patent examination occurs when, at the time an application is being examined, the Office is aware of and evaluates the teachings of all information material to patentability. Each individual associated with the filing and prosecution of a patent application has a duty of candor and good faith in dealing with the Office, which includes a duty to disclose to the Office all information known to that individual to be material to patentability as defined in this section. The duty to disclosure information exists with respect to each pending claim until the claim is cancelled or withdrawn from consideration, or the application becomes abandoned. Information material to the patentability of a claim that is cancelled or withdrawn from consideration need not be submitted if the information is not material to the patentability of any claim remaining under consideration in the application. There is no duty to submit information which is not material to the patentability of any existing claim. The duty to disclosure all information known to be material to patentability is deemed to be satisfied if all information known to be material to patentability of any claim issued in a patent was cited by the Office or submitted to the Office in the manner prescribed by §§1.97(b)-(d) and 1.98. However, no patent will be granted on an application in connection with which fraud on the Office was practiced or attempted or the duty of disclosure was violated through bad faith or intentional misconduct. The Office encourages applicants to carefully examine:
 - (1) Prior art cited in search reports of a foreign patent office in a counterpart application, and
- (2) The closest information over which individuals associated with the filing or prosecution of a patent application believe any pending claim patentably defines, to make sure that any material information contained therein is disclosed to the Office.
- (b) Under this section, information is material to patentability when it is not cumulative to information already of record or being made or record in the application, and
- (1) It establishes, by itself or in combination with other information, a prima facie case of unpatentability of a claim; or
 - (2) It refutes, or is inconsistent with, a position the applicant takes in:
 - (i) Opposing an argument of unpatentability relied on by the Office, or
 - (ii) Asserting an argument of patentability.

- (c) Individuals associated with the filing or prosecution of a patent application within the meaning of this section are:
 - (1) Each inventor named in the application;
 - (2) Each attorney or agent who prepares or prosecutes the application; and
- (3) Every other person who is substantively involved in the preparation or prosecution of the application and who is associated with the inventor, with the assignee or with anyone to whom there is an obligation to assign the application.
- (d) Individuals other than the attorney, agent or inventor may comply with this section by disclosing information to the attorney, agent, or inventor.